

elipson® | Prestige Facet **SUB 8**

CAISSON DE BASSE 2 VOIES BASS-REFLEX

Une expérience
sonore immersive
et captivante.

Plus petit caisson de la gamme Prestige facet, le SUB 8 conjugue élégance et performance.

Son haut-parleur de 21 cm offre une restitution sonore linéaire de 35 Hz à 150 Hz, tandis que sa couronne en gomme synthétique exclusive limite les perturbations acoustiques.

Compact et puissant avec ses 150 watts en classe D, il complète idéalement toute installation hi-fi ou home-cinéma, promettant une expérience sonore immersive et captivante.



TECHNIQUE

Type

Caisson de basse actif bass-reflex

Phase variable

0° - 180°

Puissance

150 W RMS Classe D

Veille

Automatique

Haut-parleur

Grave : 210 mm

Entrées

Ligne L/R, LFE

Event

Orienté vers le sol

Réponse en fréquence (±3dB)

35 Hz - 150 Hz

Filtre subsonique

24 dB - 20 Hz

Fréquence de coupure variable

50 Hz - 150 Hz

DIMENSIONS - POIDS

Dimensions sans socle

L374 x H350 x P405 mm

Poids net

16 kg

PACKAGING

Dimensions packaging

L445 x H500 x P440 mm

Poids brut

17 kg

FINITIONS - CODES PRODUITS

Façade laquée, Caisson MDF, Placage vinyle**Finition**

Noir

SKU

ELIPFSUB8BK

EAN

3700795190500

**Finition**

Blanc

SKU

ELIPFSUB8WT

EAN

3700795190494

**Finition**

Noir - Noyer

SKU

ELIPFSUB8WN

EAN

3700795190517

RÉCOMPENSÉ PAR



elipson® | Prestige Facet **SUB 8**

2-WAY BASS-REFLEX SUBWOOFER

An immersive
and captivating
sound
experience.

The smallest cabinet in the Prestige facet range, the SUB 8 combines elegance and performance.

Its 8" driver delivers linear sound reproduction from 35 Hz to 150 Hz, while its exclusive synthetic rubber crown limits acoustic disturbance.

Compact and powerful, with 150 watts of Class D power, it is the ideal complement to any hi-fi or home-cinema installation, promising an immersive, captivating sound experience.



TECHNICAL

Type Active subwoofer bass-reflex	Adjustable phase 0° - 180°
Power 150 W RMS Classe D	Standby mode Auto
Driver unit Woofers : 8"	Inputs Stereo line level, LFE
Port Down-firing	
Frequency response (±3dB) 35 Hz - 150 Hz	
Subsonic Filter 24 dB - 20 Hz	
Variable cut-off frequency 50 Hz - 150 Hz	

DIMENSIONS - WEIGHT

Dimensions without base W374 x H350 x D405 mm	Net weight 16 kg
---	----------------------------

PACKAGING

Dimensions packaging W445 x H500 x D440 mm	Gross weight 17 kg
--	------------------------------

FINISHES - PRODUCTS CODES

Lacquered front panel, MDF box, Vinyl veneer

	Finish Black	SKU ELIPFSUB8BK	EAN 3700795190500
	Finish White	SKU ELIPFSUB8WT	EAN 3700795190494
	Finish Black - walnut	SKU ELIPFSUB8WN	EAN 3700795190517

AWARDED BY

