

elipson® | Horus 6 ATM

ENCEINTE CERTIFIÉE  Dolby Atmos

Une expérience de divertissement incomparable.

Plongez au cœur de vos contenus préférés en Dolby Atmos ou en mode Surround grâce à la Horus 6 ATM.

Spécifiquement conçue pour se placer sur les enceintes colonne Horus 11F afin d'assurer la reproduction des effets verticaux des pistes Dolby Atmos et DTS:X par réflexion sur le plafond, la Horus 6 ATM peut également se fixer au mur pour assurer la reproduction des effets surround.

Elle adopte un haut-parleur coaxial avec un tweeter à dôme de 19mm et un médium grave à cône en papier de 12 cm.

L'option de mode Surround, accessible via un sélecteur arrière, offre une flexibilité accrue, permettant à la Horus 6 ATM de fonctionner non seulement comme une enceinte Atmos, mais également comme une enceinte surround, enveloppant l'espace d'écoute d'une ambiance sonore immersive.

De plus, la certification Dolby Atmos garantit une compatibilité optimale avec les technologies audio de pointe, offrant ainsi une expérience de divertissement incomparable.



TECHNIQUE

Type

Enceinte certifiée Dolby Atmos et effet Surround - 2 voies - Close

Puissance

60 W RMS

Haut-parleurs

Grave-Médium : 120 mm Cône papier

Tweeter : 19 mm Dôme

Réponse en fréquence (\pm 3dB)

70 Hz - 20 kHz

Sensibilité

88 dB / 1 W / 1 m

Impédance

6 Ω

Puissance recommandée

20 - 100 W

Bornier

Mono-câblage avec sélecteur mode Atmos & Surround

DIMENSIONS POIDS

Dimensions (avec grille)

H146 x L175 x P250 mm

Poids net (pièce)

2,5 kg

Dimensions (sans grille)

H134 x L175 x P250 mm

PACKAGING

Dimensions packaging

H260 x L330 x P325 mm

Poids brut

6,7 kg

FINITIONS

- CODES PRODUITS

**Finition**

Bois clair - Beige

SKU

ELIHOR6ATMLWB

EAN

3700795193617

**Finition**

Noyer - Gris foncé

SKU

ELIHOR6ATMWNDG

EAN

3700795193631

**Finition**

Noir - Carbone

SKU

ELIHOR6ATMBKC

EAN

3700795193624

CERTIFIÉE



An incomparable entertainment experience.

Immerse yourself in your favorite content in Dolby Atmos or surround sound mode with the Horus 6 ATM.

Specifically designed to be placed on Horus 11F floor-standing loudspeakers to reproduce the vertical effects of Dolby Atmos and DTS:X tracks by reflection from the ceiling, the Horus 6 ATM can also be wall-mounted to reproduce surround effects.

It adopts a coaxial drive unit with a 3/4" dome tweeter and a 5" paper-cone bass midrange.

The Surround mode option, accessible via a rear selector, offers even greater flexibility, allowing the Horus 6 ATM to function not only as an Atmos loudspeaker, but also as a surround loudspeaker, enveloping the listening space in an immersive soundscape.

What's more, Dolby Atmos certification guarantees optimum compatibility with cutting-edge audio technologies, delivering an incomparable entertainment experience.



TECHNICAL

Type

Dolby Atmos enabled & Surround
loudspeaker - 2 way - Sealed

Power

60 W RMS

Drive Units

Mid-Woofer : 5" Paper cone

Tweeter : 3/4" Dome

Frequency response (\pm 3dB)

70 Hz - 20 kHz

Sensitivity

88 dB / 1 W / 1 m

Impedance

6 Ω

Recommended power

20 - 100 W

Terminal

Single wire with Atmos and Surround
mode switch

DIMENSIONS WEIGHT

Dimensions (with grille)

H146 x W175 x D250 mm

Net weight (unit)

2,5 kg

Dimensions (without grille)

H134 x W175 x D250 mm

PACKAGING

Dimensions packaging

H260 x W330 x D325 mm

Gross weight

6,7 kg

FINISHES - PRODUCTS CODES



Finish
Light wood - Beige

SKU
ELIHOR6ATMLWB

EAN
3700795193617



Finish
Walnut - Dark grey

SKU
ELIHOR6ATMWNDG

EAN
3700795193631



Finish
Black - Carbon

SKU
ELIHOR6ATMBKC

EAN
3700795193624

CERTIFIED

